

water storage **solutions**



# Rainwater Tanks

extensive range for all your water storage needs



## The Polyworld difference

- value for money
- self-supporting roof design
- thick, solid ribbed walls
- purest food-grade materials
- manufactured in Australia

Talk to Polyworld today for professional advice and custom solutions for all your material handling & water storage requirements.

1300 888 654 [www.polyworld.com.au](http://www.polyworld.com.au)

Polyworld has been designing and manufacturing rainwater tanks since 1994.

## Round Tanks

POLYWORLD have an extensive range of tanks for water storage, from 60 litres to 23,000 litres. All our products are manufactured from the highest quality polyethylene. This food-grade material ensures no taste or smell, and an extra long product life. Designed and made to stringent operating standards, these tanks can withstand Australia's harshest conditions.



Our commitment is to provide the most practical, strong, and long lasting products possible.

Your Polyworld Water Tank is fully warranted for a period of **10 years** against manufacturing faults and material defects, provided installation is carried out correctly.

## Standard Accessories

- 25mm brass outlet
- Stainless steel strainer
- Protective cover
- Overflow housing with removable mosquito mesh



| Product Ordering Code | Capacity |         | Height |          | Diameter |          |
|-----------------------|----------|---------|--------|----------|----------|----------|
|                       | LITRES   | GALLONS | METRIC | IMPERIAL | METRIC   | IMPERIAL |
| WT23000^              | 23000    | 5060    | 2600   | 8' 7"    | 3600     | 11' 10"  |
| WT16000^              | 16000    | 3520    | 1900   | 6' 3"    | 3600     | 11' 10"  |
| WT15000^              | 15000    | 3300    | 2450   | 8' 1"    | 2950     | 9' 8"    |
| WTT10000^             | 10000    | 2200    | 3500   | 11' 6"   | 1930     | 6' 4"    |
| WT10000^              | 10000    | 2200    | 2200   | 7' 3"    | 2500     | 8' 2"    |
| WT7500                | 7500     | 1650    | 2330   | 7' 8"    | 2100     | 6' 11"   |
| WT6000                | 6000     | 1320    | 2110   | 6' 11"   | 1930     | 6' 4"    |
| WTSQ6000              | 6000     | 1320    | 1430   | 4' 8"    | 2400     | 7' 11"   |
| WT5000                | 5000     | 1100    | 1900   | 6' 3"    | 1970     | 6' 6"    |
| WT3000                | 3000     | 660     | 1850   | 6' 1"    | 1530     | 5' 0"    |
| WT2000                | 2000     | 440     | 2180   | 7' 2"    | 1120     | 3' 8"    |
| WTSQ2000              | 2000     | 440     | 1270   | 4' 2"    | 1530     | 5' 0"    |
| WT1750                | 1750     | 385     | 2185   | 7' 2"    | 1010     | 3' 3"    |
| WTT1000               | 1000     | 220     | 2020   | 6' 6"    | 890      | 2' 9"    |
| WT1000                | 1000     | 220     | 1140   | 3' 9"    | 1140     | 3' 9"    |
| WT500                 | 500      | 110     | 850    | 2' 10"   | 900      | 3' 0"    |
| WT200                 | 200      | 44      | 580    | 1' 11"   | 730      | 2' 5"    |

Includes: strainer, strainer cover, overflow pipe & screen, and 1" brass outlet. (^ includes 2 x overflows)

## Slimline Tanks

POLYWORLD have developed a range of slimline tanks which allow for installation in restricted areas. Ranging from 300 litres to 5000 litres.

| Product Ordering Code | Capacity |         | Height |          | Length |          | Width  |          |
|-----------------------|----------|---------|--------|----------|--------|----------|--------|----------|
|                       | LITRES   | GALLONS | METRIC | IMPERIAL | METRIC | IMPERIAL | METRIC | IMPERIAL |
| RT5000^               | 5400     | 1190    | 2140   | 7' 1"    | 3600   | 11' 10"  | 800    | 2' 8"    |
| SS5000^               | 5000     | 1100    | 1860   | 6' 1"    | 3100   | 10' 2"   | 1200   | 3' 11"   |
| RT3000^               | 3000     | 660     | 2140   | 7' 0"    | 2950   | 9' 8"    | 600    | 2' 0"    |
| SS3000^               | 3000     | 660     | 2100   | 6' 11"   | 2600   | 8' 7"    | 800    | 2' 8"    |
| RT2500^               | 2500     | 550     | 2130   | 7' 0"    | 2130   | 7' 0"    | 580    | 1' 11"   |
| AST1100*              | 1100     | 242     | 1620   | 5' 4"    | 1240   | 4' 1"    | 700    | 2' 4"    |
| AST700*               | 700      | 154     | 1470   | 4' 10"   | 1070   | 3' 6"    | 580    | 1' 11"   |
| AST300*               | 300      | 66      | 700    | 2' 4"    | 1070   | 3' 6"    | 580    | 1' 11"   |
| AST-STD               | 270      | 60      | 730    | 2' 5"    | 1165   | 3' 10"   | 640    | 2' 1"    |

Includes: strainer, strainer cover, overflow pipe & screen. (^ plus 1" brass outlet) (\* 3/4" plug)



## Standard colours



Other colours available on request. Please ask your consultant for more details.

For quality and reliability  
Call Polyworld today  
**1300 888 654**






## Stackable Tanks

An economical solution for transporting and shipping. These tanks have a removable lid which allows them to be stacked. Ideal for export, up to 20 x 5,000 litre tanks can be fitted in a 20ft container.

| Product Ordering Code | Capacity |         | BASE diameter |          | TOP diameter |          | Height |          |
|-----------------------|----------|---------|---------------|----------|--------------|----------|--------|----------|
|                       | LITRES   | GALLONS | METRIC        | IMPERIAL | METRIC       | IMPERIAL | METRIC | IMPERIAL |
| ST5000                | 5000     | 1100    | 1800          | 6'       | 2130         | 7'       | 1980   | 6'6"     |
| ST2500                | 2500     | 550     | 1450          | 4'9"     | 1740         | 5'9"     | 1530   | 5'       |
| ST1000                | 1000     | 220     | 950           | 3'2"     | 950          | 3'9"     | 1380   | 4'6"     |

## Transporter Tanks

Our transporter tanks are perfect for chemical storage, water cartage and industrial applications.



| Product Ordering Code | Capacity |         | Height |          | Length |          | Width  |          |
|-----------------------|----------|---------|--------|----------|--------|----------|--------|----------|
|                       | LITRES   | GALLONS | METRIC | IMPERIAL | METRIC | IMPERIAL | METRIC | IMPERIAL |
| TT2000^               | 1900     | 416     | 1280   | 4' 2"    | 1550   | 5' 1"    | 1200   | 3' 11"   |
| TT1000^               | 1000     | 220     | 980    | 3' 3"    | 1580   | 5' 2"    | 940    | 3' 1"    |
| TT500                 | 500      | 110     | 390    | 1' 4"    | 1700   | 5' 7"    | 1120   | 3' 8"    |
| TT60                  | 60       | 13      | 620    | 2' 1"    | 390    | 1' 3"    | 390    | 1' 3"    |

(^ Includes 255mm lid, breather and ring and 1" brass outlet)

**Disclaimer:** Images and colours are for reference purposes only. Due to the nature of the roto-moulding process, actual product sizes, colours and weights may vary from those shown.



**POLYWORLD™**

Talk to Polyworld today for professional advice and custom solutions for all your material handling & water storage requirements.

**1300 888 654** [www.polyworld.com.au](http://www.polyworld.com.au)  
14-20 Robson Street, Clontarf QLD 4019, Australia