



POLYWORLD™

www.polyworld.com.au



61+ 7 3889 5300

info@polyworld.com.au

FARMING PRODUCT GUIDE

Australia's Leading Rotomoulding Manufacturer

*Tanks
Troughs
Silos
Transporter Tanks
Aquaculture Pools*



Polyworld has been designing and manufacturing rainwater tanks since 1994.



Round Tanks

POLYWORLD have an extensive range of tanks for water storage, molasses, and industrial applications from 60 litres in capacity to 32,000 litres.

All our products are manufactured from the highest quality polyethylene. This food-grade material ensures no taste or smell, and an extra long product life. Designed and made to stringent operating standards, these tanks can withstand Australia's harshest conditions.

Polyworld also produces Molasses Grade tanks on a Made to Order basis.

Our commitment is to provide the most practical, strong, and long lasting products possible.

Your Polyworld water tank is fully warranted for a period of **10 years** against manufacturing faults and material defects, provided installation is carried out correctly.

Standard Accessories

- 25mm brass outlet
- Stainless steel strainer
- Protective cover
- Overflow housing with removable mosquito mesh
- Safety overflow with frog flap on tanks over 10,000L.
- 25mm Brass Ball Valve



Product Ordering Code	Capacity		Height		Diameter	
	LITRES	GALLONS	METRIC	IMPERIAL	METRIC	IMPERIAL
WT32000^	32000	7040	2910	9'7"	3825	12'7"
WT23000^	23000	5060	2600	8'6"	3600	11'10"
WT16000^	16000	3520	1900	6'3"	3600	11'10"
WT15000^	15000	3300	2450	8'0"	2950	9'8"
WT10000^	10000	2200	3500	11'6"	1930	6'4"
WT10000^	10000	2200	2120	6'11"	2500	8'2"
WT7500	7500	1650	2330	7'8"	2100	6'11"
WT6000	6000	1320	2110	6'11"	1930	6'4"
WTSQ6000	6000	1320	1430	4'8"	2400	7'10"
WT5000	5000	1100	1900	6'3"	1970	6'6"
WT3000	3000	660	1850	6'1"	1530	5'0"
WT2000	2000	440	2180	7'2"	1120	3'8"
WTSQ2000	2000	440	1270	4'2"	1530	5'0"
WT1750	1750	385	2185	7'2"	1010	3'4"
WTT1000	1000	220	2020	6'8"	890	2'11"
WT1000	1000	220	1140	3'9"	1140	3'9"
WT500	500	110	850	2'9"	900	2'11"
WT200	200	44	580	1'11"	730	2'5"

* All volumes approximate

Includes: strainer, strainer cover, overflow housing & screen, and 25mm brass outlet. (^ includes 2 x overflows & frog flap housing)

Standard colours

Most Popular



Available Colours



Polyworld has also developed a range of Slimline Water Tanks allowing for installation in confined spaces, sizes ranging from 300L to 5000L

For quality and reliability
Call Polyworld today


+61 7 3889 5300

Other colours available on request. Please ask your consultant for more details.
Colours match up to Bluescope Colourbond® colours. See our website for a colour guide.

Poly Silos


For heavy industrial use, where the product specific gravity can be as high as 1.5kg/L we use extra tough High Density Polyethylene (HDPE) - which is suitable to store most industrial chemicals and molasses.

The heavy steel stand is typically hot dipped galvanised, suitable for all weather applications. Stainless steel on request for highly corrosive environments.




Product Ordering Code	Capacity		Height		Diameter	
	LITRES	GALLONS	METRIC	IMPERIAL	METRIC	IMPERIAL
PS10000	10000	2200	4500	14'9"	2000	6'7"
PS2500	2500	550	3650	12'0"	1200	3'11"
PS1400	1400	308	3400	11'2"	900	2'11"
PS700	700	154	2200	7'3"	900	2'11"

* All volumes approximate



Troughs

The toughest material for all Australian conditions. Our troughs are virtually indestructible and easy to clean, making them perfect for stock and aquaculture. A float valve keeps water at set level.



Product Ordering Code	Capacity		Height		Length		Width		Diameter	
	LITRES	GALLONS	METRIC	IMPERIAL	METRIC	IMPERIAL	METRIC	IMPERIAL	METRIC	IMPERIAL
LT1250	1250	275	600	2'0	2950	9'8"	800	2'7"	—	—
LT500	500	110	600	2'0"	1480	4'10"	690	2'3"	—	—
LTR800	800	175	240	9"	—	—	—	—	2100	6'9"

(^ includes: 25mm Outlet + 25mm Ball Valve). Float Valve is optional extra.

* All volumes approximate





Aquaculture Pools

Polyworld manufacture and supply open top Tanks that are the perfect size for Aquaculture. Our Poly Aquaculture Tanks are constructed from food grade virgin Polyethylene, this is to ensure no smell or taste is transferred and an extra long product life.

Designed and made to stringent operating standards, these tanks are a single piece and won't leak, rust or corrode. Simple to install, our pools are very light when empty, just place on a level sand bed.


We can fit outlets, drains or skimmer boxes as required.

Product Ordering Code	Capacity		Height		Diameter/Width	
	LITRES	GALLONS	METRIC	IMPERIAL	METRIC	IMPERIAL
PP15000	12000	2640	1350	4' 5"	3400	11' 2"
PP5000	5000	1100	1300	4' 3"	2300	7' 7"

* All volumes approximate

Transporter Tanks

Our transporter tanks are perfect for chemical storage, water cartage and industrial applications.



Product Ordering Code	Capacity		Height		Length		Width	
	LITRES	GALLONS	METRIC	IMPERIAL	METRIC	IMPERIAL	METRIC	IMPERIAL
TT2000^	1900	418	1280	4' 2"	1550	5' 1"	1200	3' 10"
TT1000^	1000	220	980	3' 3"	1580	5' 2"	940	3' 1"
TT500	500	110	390	1' 3"	1700	5' 6"	1120	3' 8"
TT60	60	13	620	2' 0"	390	1' 3"	390	1' 3"

* With optional galvanised steel frame

* All volumes approximate



ASSOCIATION OF
ROTATIONAL MOULDERS
AUSTRALASIA INC
MEMBER



14-20 Robson Street, Clontarf Q 4019 Australia

Ph (07) 3889 5300
info@polyworld.com.au

www.polyworld.com.au